MATERIAL SAFETY DATA SHEET

SPOTCHECK ® CLEANER/REMOVER SKC-I

1. IDENTIFICATION

COMPANY	:	ITW INDIA PRIVATE LIMITED
ADDRESS	:	PLOT NO 51, 52,207 & 208, PHASE – 2, IDA TSIIC, PASHAMMYLARAM, SANGAREDDY – 502 307, TELANGANA INDIA.
TELEPHONE	:	91 – 8455 – 224710
FAX	:	91 – 8455 – 224709
PRODUCT USE	:	Cleaner
PACKAGES	:	Aerosol,1 L,5 L & 20 L
NFPA Rating	:	Health 1, Flammability 3(Aerosol Flammability 4), Reactivity 0.
Revision Date	:	OCT 28, 2025.

2. HAZARDS Identification

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS classification

Flam. Aerosol 1
Liquefied gas
Eye irrit. 2A
STOT SE 3

2.2 LABEL ELEMENTS

Hazard Pictograms (GHS) :

Signal Word (GHS)	:	Danger
Hazard Statement (GHS)	:	Extremely flammable aerosol. Contains gas under pressure may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. May displace oxygen and cause rapid suffocation

EMERGENCY OVERVIEW

Volatile liquid, vapour may irritate the skin and respiratory tract. Flammable liquid

POTENTIAL HEALTH EFFECTS

Skin Contact : Can irritate by removing natural skin oils on long or repeated exposures. Possible local redness.

Eyes : May irritate , experiencing as stinging and discomfort or pain
Inhalation : Vapors may cause irritation of the respiratory tract , with coughing and chest discomfort , high concentrations of vapor may cause headache.
Ingestion : Not significant in small(mouthful)quantities
Medical conditions known to be aggravated by exposure to product: None

3. Hazards Identification

3.1 Substance :
Not Applicable

3.2 Mixture

Ingredient	Wt/wt%	CAS#	TLV	PEL	LD 50	LC50
Isopropyl alcohol	60-90%	67-63-0	400 ppm	400 ppm	3.6g/kg (oral/mouse)	NA
Isobutane(propellant – aerosol only)	30%	75-28-5	NA	1000 ppm	NA	NA

4. FIRST AID

Skin Contact : Wash off with soap water .Remove contaminated clothing.
Eyes : Rinse carefully under upper and lower eyelids using plenty of water. Obtain medical attention
Inhalation : Remove to fresh air .Give artificial respiration, if not breathing. If breathing is difficult , oxygen may be given by qualified personnel.
Ingestion : Do not induce vomiting, If patient is fully conscious give two glass of water.

NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability : Flammable
Flash point : Min 12 deg C (PMCC)
Flammable limits in air : 2 to 12.7%

Extinguishing media : Apply alcohol type or all purpose type foam for larger fires. Carbon dioxide or dry chemical media for small fires.
Special fire fighting procedures : Keep containers cool with water spray. Use water spray to disperse vapors or it might reignite. Use self-contained breathing apparatus and protective clothing

Hazardous combustion products : Oxides or carbon
Unusual fire hazards : Vapors form may travel or be removed by air currents and ignite by pilot fire, other flames at distant locations .Vapors from this material may settle in low or confined areas .This material may produce a floating fire hazard.

6. ACCIDENTAL RELEASE MEASURES

Extinguish and do not turn on any ignition source until clean up. Mop up or sweep up, with absorbent, flush with large amounts of water(For disposal , see Section 13)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact.
Avoid breathing spray mist. Do not spray around arcs or flames.
Do not expose to heat or store at temperatures above 48ºC.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls : None,unless sprayed. Use where ventilation will carry spray mist away from occupied areas
Personal protection : Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable. Wear protective clothing such as long sleeves to minimize skin contact.

9. PHYSICAL PROPERTIES

Initial boiling point (bulk) : Min 82 deg C Vapor pressure : Bulk 33 mm @ 21 deg C

Percent volatile	:	100% at RT	Vapor density	:	Heavier than air (2.07)
Density/sp. gravity	:	0.78	Evaporation rate	:	2.88
Water solubility	:	0 (emulsifies into water)	Appearance	:	Clear colorless liquid
pH	:	Neutral	Odor	:	Characteristic
VOC	:	790 g/L			

10. STABILITY AND REACTIVITY

Stability	:	Stable
Incompatibility	:	Strong oxidizing agents, halogens and its compounds, strong inorganic acids,aldehydes
Hazardous decomposition products	:	Oxides of carbon
Reactivity	:	None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity	:	Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH
Threshold limit value	:	983mg/cubic meter

12. ECOLOGICAL INFORMATION

No data is available on SKC-I. The hydrocarbon propellant is not an ozone depleter.

13. DISPOSAL

Incinerate in a furnace where permitted as per local regulations, at low concentration in water product is biodegradable.

14. TRANSPORTATION

IATA : List of Dangerous Goods

		Non-aerosol	**Aerosol**
Proper shipping name	:	Flammable liquid,n.o.s	Aerosols,flammable
Hazard class or division	:	3	2.1
Identification No.	:	UN 1993	UN 1950
Packing Group	:	II	II

IMDG : General Index

		Non-aerosol	**Aerosol**
Proper shipping name	:	Flammable liquid,n.o.s	Aerosols
Hazard class or division	:	3.2	2.1
Identification No.	:	UN 1993	UN 1950
Packing Group	:	-	-

15. REGULATORY INFORMATION

TSCA	:	All ingredients are listed in TSCA inventory.
CERCLA	:	Not reportable
SARA TITLE III, Section 313	:	No reportable ingredients
California Proposition 65	:	Contains nothing on this list
WHMIS Class (Canada)	:	Non-Aerosol : D2-B Aerosol : A,B-5,D2-B

NFPA Rating : Health 1, Flammability 3(Aerosol Flammability 4), Reactivity 0.

Bulk Pack

Aerosol Pack

16. **OTHER INFORMATION**

Revision Statement : *Periodic Review and incorporation of Registered office address change*

MSDS/SKC-I/06 dated 10/2025