

MATERIAL SAFETY DATA SHEET

SPOTCHECK [®] PENETRANT SKL-SP2

1. IDENTIFICATION

COMPANY : ITW INDIA PRIVATE LIMITED

ADDRESS : PLOT NO 51, 52,207 & 208, PHASE – 2, IDA

TSIIC, PASHAMMYLARAM,

SANGAREDDY - 502 307, TELANGANA

INDIA

TELEPHONE : 91 – 8455 – 224710

FAX : 91 – 8455 – 224709

PRODUCT USE : Visible inspection penetrant

PACKAGES : Aerosol,1 L,5 L & 200 L

NFPA Rating : Health 1, Flammability 1(Aerosol Flammability 4), Reactivity 0.

Revision Date : OCT 10, 2024

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture GHS Classification

Flam Aerosol 2 Liquified gas Asp. Tox 1 Simple Asphy

2.2 Label Elements GHS Labelling Hazard Pictograms (GHS)







Signal Word (GHS) : Danger

Hazard Statement (GHS) : Flammable aerosol. Contains gas under pressure; may

explode if heated. May be fatal if swallowed and enters airways. May

displace oxygen and cause rapid suffocation

Precautionary statements (GHS) : Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source. Pressurised container: Do not pierce or burn, even after use. If swallowed immediately call a doctor .Do not induce vomiting. Protect from sunlight. Donot expose to temperatures exceeding 50 deg C. Store in a well-ventilated place. Store locked up. Dispose of contents / container in accordance with local/regional/national/international

regulations

2.3 OTHER HAZARDS

No additional information available

2.4 UNKNOWN ACUTE TOXICITY (GHS)

Not applicable



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



3. Composition / Information on Ingredients

3.1 Substanece : Not applicable

3.2 Mixture:

Ingredient	Wt/Wt%	CAS#	<u>TLV</u>	<u>PEL</u>	LD 50	LC 50
White mineral oil (petroleum)	60 -80	8042-47-5	5mg/m3	5mg/m3	NA	NA
Phthalic esters	5 - 25		NA	NA	NA	NA
Isobutane (propellant):	30%	75 - 28-5	NA	1000 ppm	NA	NA

HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite , but will burn vigorously if engulfed in fire. Aerosol is extremely flammable

POTENTIAL HEALTH EFFECTS

Skin Contact : Can irritate by removing natural skin oils on long or repeated exposures

Eyes : May Irritate

Inhalation : Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness or nausea

Ingestion : Not significant in small(mouthful)quantities

Medical conditions known to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact : Wash off with soap water .Use soothing lotion

Eyes : Rinse carefully under upper and lower eyelids using plenty of water

Inhalation : Remove to fresh air if dizzy or nauseated

Ingestion : Do not induce vomiting. Accidental ingestion of a small mouthful quantity is not expected to cause significant

harm

NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability : Aerosol : Spraying near an ignition source will ignite spray mist

Bulk: None unless heated over 93 deg C near ignition source

Flash point : Min 93 deg C (PMCC)

Flammable limits in air : 1 to 6%

Extinguishing media : Carbon dioxide , Foam

Special fire fighting procedures : Keep containers cool with water spray.Donot spray water directly on burning SKL-SP2.It

may float and spread the fire

Hazardous combustion products : Smoke,soot,oxides or carbon and nitrogen

Unusual fire hazards : Aerosol containers may burst at temperatures over 54 deg C and spray contents into a fire

6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up with absorbent (For disposal see Section 13)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist.Donot spray around arcs or flames

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls : None,unless sprayed. Use where ventilation will carry spray mist away from occupied areas

Personal protection : Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is

unavoidable. Respirator with filter if sprayed in enclosed unventilated space.



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



9. PHYSICAL PROPERTIES

Initial boiling point (bulk) : Min 235 deg C Vapor pressure : Aerosol 60 psi, Bulk <0.1 mm @ 24

deg C

Percent volatile:None (30% in aerosol)Vapor density:Heavier than airDensity/sp. gravity:0.89Evaporation rate:NegligibleWater solubility:0 (emulsifies into water)Appearance:Dark Red oily liquidpH:NeutralOdor:Mild oily odour

10. STABILITY AND REACTIVITY

Stability : Stable Incompatibility : None

Hazardous decomposition products Soot, oxides of carbon and nitrogen when burning

Reactivity : None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity : Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH

Threshold limit value : 5mg/cubic meter for oily mist

WHMIS information (Canada) : According to available information, the ingredients have not been found to show

reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic

effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on SKL-SP2. It floats on water and can be skimmed off. Its low bulk vapor pressure may exempt it from VOC restrictions.

The hydrocarbon propellant is not an ozone depleter.

13. DISPOSAL

As a non-hazardous oily waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal.

Non hazardous waste as per classification in The Hazardous Wastes (Management and Handling) Rules 1989, of CPCB,India RCRA: Not a hazardous waste

U.S EPA Waste number: None

14. TRANSPORTATION

Hazard class or division : None 2.1 2	Aerosols 2.1 UN 1950 -



Corporate Identity Number (CIN): U32301HR1979PTC038643



15. REGULATORY INFORMATION


TSCA All ingredients are listed in TSCA inventory.

CERCLA Not reportable

SARA TITLE III, Section 313 No reportable ingredients California Proposition 65 Contains nothing on this list

NFPA Health: 1

NFPA Flammability : 1 (Aerosol 4) NFPA Reactivity : 0





16. OTHER INFORMATION

Revision Statement : Periodic Revision

MSDS/SKL SP2/04 dated 10/2024

