

MATERIAL SAFETY DATA SHEET

SPOTCHECK[®] PENETRANT SKL-WP2

1. IDENTIFICATION

COMPANY : ITW INDIA PRIVATE LIMITED
 ADDRESS : PLOT NO 51, 52,207 & 208, PHASE – 2, IDA
 TSIC, PASHAMMYLARAM,
 SANGAREDDY – 502 307, TELANGANA
 INDIA.
 TELEPHONE : 91 – 8455 – 224710
 FAX : 91 – 8455 – 224709
 PRODUCT USE : Visible inspection penetrant
 PACKAGES : Aerosol, 1 L, 5 L & 200 L
 NFPA Rating : Health 2, Flammability 1(Aerosol Flammability 4), Reactivity 0.
 Revision Date : OCT10,2024

2. HAZARDS IDENTIFICATION

2.1 Classification of the Substance or Mixture

GHS Classification

Flam. Aerosol : 2
 Liquified Gas
 Skin.irrit :2
 Eye Dam. 1
 Asp. Tox. 1
 Simple Asphy

2.2. LABEL ELEMENTS

GHS labelling

Hazard pictograms (GHS)



Signal word (GHS)

: Danger

Hazard statements (GHS)

: Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye damage. May be fatal if swallowed and enters airways. May displace oxygen and cause rapid suffocation.

Precautionary statements (GHS)

: Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Wear protective gloves/eye protection/face protection. If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. OTHER HAZARDS

No additional information available.

2.4. UNKNOWN ACUTE TOXICITY (GHS)

Not applicable.



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India

Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in

Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India.

Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com

Corporate Identity Number (CIN) : U32301HR1979PTC038643

3. Composition / Information on Ingredients

3.1 Substance : Not Applicable

3.2 Mixture:

Ingredient	Wt/wt%	CAS#	TLV	PEL	LD 50	LC50
White mineral oil (petroleum)	60-100	8042-47-5	NA	NA	NA	NA
Alcohols (C12-C18),ethoxylated , propoxylated	10-30	69227-21-0	NA	NA	2.6 g/kg (oral/rat)	NA
Alcohols (C11-C15),secondary, ethoxylated	5-10	84133-50-6	NA	NA	2.4 g/kg (oral/rat)	NA
Refined Soyabean oil	5-10	8001-22-7	NA	NA	17.4 g/kg (oral/rat)	NA
9-octadecenamide,N-(2-hydroxy propyl)-(Z)	1-5	111-05-7	NA	NA	NA	NA
Isobutane(propellant – aerosol only)	30	75-28-5	NA	1000 ppm	NA	NA

POTENTIAL HEALTH EFFECTS

Skin Contact : Can irritate by removing natural skin oils on long or repeated exposures

Eyes : Irritating.

Inhalation : Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness or nausea

Ingestion : Not significant in small(mouthful)quantities

Medical conditions known to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact : Wash off with soap water .Use soothing lotion

Eyes : Rinse carefully under upper and lower eyelids using plenty of water

Inhalation : Remove to fresh air if dizzy or nauseated

Ingestion : Do not induce vomiting

NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability : Aerosol : Spraying near an ignition source will ignite spray mist
Bulk : None unless heated over 93 deg C near ignition source

Flash point : Min 93 deg C (PMCC)

Flammable limits in air : 1 to 6%

Extinguishing media : Carbon dioxide , Foam

Special fire fighting procedures : Keep containers cool with water spray.Donot spray water directly on burning SKL-WP2.It may float and spread the fire

Hazardous combustion products : Smoke,soot,oxides or carbon and nitrogen

Unusual fire hazards : Aerosol containers may burst at temperatures over 54 deg C and spray contents into a fire

6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up with absorbent (For disposal see Section 13)

7. HANDLING AND STORAGE

Store away from heat source. Avoid eye contact. Avoid repeated or prolonged skin contact.

Avoid breathing spray mist.Donot spray around arcs or flames

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls : None,unless sprayed. Use where ventilation will carry spray mist away from occupied areas

Personal protection : Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is unavoidable.Respirator with filter if sprayed in enclosed unventilated space.



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIC, Pashamylaram, Sangareddy Dist.- 502 307, Telangana State, India

Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in

Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India.

Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com

Corporate Identity Number (CIN) : U32301HR1979PTC038643



9. PHYSICAL PROPERTIES

Initial boiling point (bulk) deg C	: Min 235 deg C	Vapor pressure	: Aerosol 60 psi, Bulk <0.1 mm @ 21
Percent volatile	: None (30% in aerosol)	Vapor density	: Heavier than air
Density/sp. gravity	: 0.88	Evaporation rate	: Negligible
Water solubility	: 0 (emulsifies into water)	Appearance	: Red / Violet oily liquid
pH	: Neutral	Odor	: Mild odour

10. STABILITY AND REACTIVITY

Stability	: Stable
Incompatibility	: None
Hazardous decomposition products	: Soot, oxides of carbon and nitrogen when burning
Reactivity	: None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity	: Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH
Threshold limit value	: 5mg/cubic meter for oily mist
WHMIS information (Canada)	: According to available information, the ingredients have not been found to show reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on SKL-WP2. It emulsifies into water and is bio degradable. Its low bulk vapor pressure may exempt it from VOC restrictions. The hydrocarbon propellant is not an ozone depleter.

13. DISPOSAL

As a non-hazardous oily waste, incinerate or send to waste handler who can blend it into secondary fuels. Empty aerosol cans before disposal.

14. TRANSPORTATION

U.S.DOT: 49 CFR 172.101 Hazardous Material Table

	<u>Non-aerosol</u>	<u>Aerosol</u>
Proper shipping name	: None, not restricted	Consumer commodity
Hazard class or division	: None	ORM-D
Identification No.	: None	None
Packing Group	: None	None

IATA : List of Dangerous Goods

	<u>Non-aerosol</u>	<u>Aerosol</u>
Proper shipping name	: None, not restricted	Aerosols, flammable
Hazard class or division	: None	2.1
Identification No.	: None	UN 1950
Packing Group	: None	-

IMDG : General Index

	<u>Non-aerosol</u>	<u>Aerosol</u>
Proper shipping name	: None, not restricted	Aerosols
Hazard class or division	: None	2.1
Identification No.	: None	UN 1950
Packing Group	: None	-

15. REGULATORY INFORMATION

TSCA	: All ingredients are listed in TSCA inventory.
CERCLA	: Not reportable
SARA TITLE III, Section 313	: No reportable ingredients
California Proposition 65	: Contains nothing on this list
WHMIS Class (Canada)	: Non-Aerosol : D2-B Aerosol : A,B-5,D2-B



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIC, Pashamylaram, Sangareddy Dist.- 502 307, Telangana State, India

Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in

Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India.

Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com


Corporate Identity Number (CIN) : U32301HR1979PTC038643

NFPA Health Hazard : 2
NFPA Fire Hazard : 4
NFPA Reactivity : 0



Aerosol

NFPA Health Hazard : 2
NFPA Fire Hazard : 1
NFPA Reactivity : 0



Bulk

16. OTHER INFORMATION

Revision Statement : *Periodic Review*

MSDS/SKL WP2/04 dated 10/2024



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIC, Pashamylaram, Sangareddy Dist.- 502 307, Telangana State, India

Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in

Regd. Office: ITW India Private Limited, Level 1, Lotus Plaza, 732/1, Mehrauli Gurgaon Road, Sector - 14, Gurgaon - 122 001, Haryana, India.

Telephone : +91 - 124 - 4284381, Facsimile : +91 - 124 - 4284389, E-mail : infoindia@itw.com

Corporate Identity Number (CIN) : U32301HR1979PTC038643