

MATERIAL SAFETY DATA SHEET

MAGNAVIS ® WHITE CONTRAST PAINT WCP-2

1. IDENTIFICATION

COMPANY : ITW INDIA PRIVATE LIMITED

ADDRESS : PLOT NO 51, 52,207 & 208, PHASE - 2, IDA

TSIIC, PASHAMMYLARAM,

SANGAREDDY - 502 307, TELANGANA

INDIA.

TELEPHONE : 91 – 8455 – 224710 FAX : 91 – 8455 – 224709

PRODUCT USE : White Contrast paint used in Magnetic Particle Inspection

PACKAGES : Aerosol

NFPA Rating : Health 2, Flammability 4, Reactivity 0.

Revision Date : OCT 28, 2024.

2. HAZARDS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

GHS classification

Flam. Aerosol 1 Liquefied gas Eye irrit. 2A STOT SE 3

2.2 LABEL ELEMENTS

Hazard Pictograms (GHS)



Signal Word (GHS) : Danger

Hazard Statement (GHS) : Extremely flammable aerosol. Contains gas under pressure;

may explode if heated. Causes serious eye irritation. May cause drowsiness or dizziness. May displace oxygen and

cause rapid suffocation.

Precautionary statements (GHS) : Keep away from heat/sparks/open flames/hot surfaces. No

smoking. Do not spray on an open flame or other ignition

source.Pressurised container: Do not pierce or burn, even after use. Wash hands thoroughly after handling. Wear eye protection/face protection. Avoid breathing dust/fumes/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. If in eyes: Rinse cautiously with water for several



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice / attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell. Protect from sunlight. Donot expose to temperatures exceeding 50 deg C. Store in a well-ventilated place. Store locked up. Dispose of contents / container in accordance with local/regional/national/international regulations

2.3 **OTHER HAZARDS**

No additional information available

UNKNOWN ACUTE TOXICITY (GHS) 2.4

Not applicable

EMERGENCY OVERVIEW

Extremely flammable aerosol.

Fast evaporating vapors can reach hazardous levels quickly in unventilated spaces.

POTENTIAL HEALTH EFFECTS

Skin Contact Can irritate by removing natural skin oils on long or repeated exposures

Irritating Eyes

Inhalation Vapors may cause dizziness or nausea Not significant in small(mouthful)quantities Ingestion

Medical conditions known to be aggravated by exposure to product: None

3. HAZARDOUS INGREDIENTS

3.1 Substance

Not Applicable

3.2 Mixture

Ingredient	Wt/Wt%	CAS#	<u>TLV</u>	<u>PEL</u>	<u>LD 50</u>	<u>LC 50</u>
2-Propanone	60-100	67-64-1	750ppm	750ppm	6g/Kg	NA
Titanium oxide	10-30	13463-67-7	10mg/m3	NA	(oral/rat) 24g/Kg	NA
					(oral/rat)	
Iso-butane(propellant)	30	75-28-5	NA	1000ppm	NA	NA

4. FIRST AID

Skin Contact Wash off with soap water. Use soothing lotion

Rinse carefully under upper and lower eyelids using plenty of water Eves

Inhalation Remove to fresh air if dizzy or nauseated

Do not induce vomiting. Accidental ingestion of a small mouthful quantity is not expected to cause significant Ingestion

harm NOTE: In all severe cases, contact physician immediately.

FIRE HAZARD

Conditions of flammability : Ignition can occur if used near flames, arcs or other ignition sources

2 deg F (-16 deg C) (PMCC) Flash point

2 to 13% Flammable limits in air

Extinguishing media Carbon dioxide, Foam, Water, DCP Special fire fighting procedures Keep containers cool with water spray.

Hazardous combustion products : Smoke, soot, oxides or carbon. Burning vapour may give off toxic fumes.

: Aerosol cans may burst over 55 deg C and add contents to fire Unusual fire hazards



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist. 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up with absorbent (For disposal see Section 13)

7. HANDLING AND STORAGE

Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist. Keep away from sources of ignition. Take measures to prevent build up of electro static charge.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls : Use where ventilation will carry spray mist away from occupied areas

Personal protection : Wear safety glasses to protect eyes. Wear nitrile rubber / neoprene gloves if hand exposure is

unavoidable. Respirator with filter if sprayed in enclosed, unventilated space.

9. PHYSICAL PROPERTIES

Initial boiling point (bulk) : 56 deg C Vapor pressure : 185 mm Hg @ 20 deg C Percent Volatile : 70% Vapor density : Heavier than air

Density/sp. gravity : 0.93 g/cm3 Evaporation rate : 770 (BuAc=100)

Water solubility : 70% Appearance : Aerosol containing mobile ,white

liquid

pH : Neutral Odor : Solvent-alcoholic

10. STABILITY AND REACTIVITY

Stability : Stable Incompatibility : None

Hazardous decomposition products Soot, oxides of carbon if heated to combustion temperatures

Reactivity : None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity : Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH

Threshold limit value : Not established

WHMIS information (Canada) : According to available information, the ingredients have not been found to show

reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic

effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on WCP-2

13. DISPOSAL

All Disposal practices must be in compliance with all local laws and regulations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator.

14. TRANSPORTATION

IATA: List of Dangerous goods IMDG: General Index

Proper shipping name : Aerosols, flammable Aerosols, flammable

Hazard class or division : 2.1 2.1

Identification No. : UN 1950 UN 1950

Packing Group : N/A N/A



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



15. REGULATORY INFORMATION

TSCA : All ingredients are listed in TSCA inventory.


CERCLA : Reportable quantity (RQ) for Acetone = 5000 lbs

SARA TITLE III, Section 313 : Acetone

California Proposition 65 :Warning : Contains nothing in this list WHMIS Class (Canada) : Aerosol : A,B-5,D-2B

NFPA Rating

NFPA Health hazard : 2
NFPA Fire hazard : 4
NFPA Reactivity : 0



16. OTHER INFORMATION

Revision Statement : Reviewed and Updated with GHS pictograms

MSDS/WCP-2/5 dated 10/2024



Corporate Identity Number (CIN): U32301HR1979PTC038643