

MATERIAL SAFETY DATA SHEET

ZYGLO® EMULSIFIER - ZR-10 B

1. IDENTIFICATION

COMPANY : ITW INDIA PRIVATE LIMITED

ADDRESS : PLOT NO 51, 52,207 & 208, PHASE - 2, IDA

TSIIC, PASHAMMYLARAM,

SANGAREDDY - 502 307, TELANGANA

INDIA

TELEPHONE : 91 – 8455 – 224710 FAX : 91 – 8455 – 224709

PRODUCT USE : Penetrant emulsifier / remover

PACKAGES : 20 L & 205 L

NFPA Rating : Health 2, Flammability 1, Reactivity 0.

Revision Date : OCT 28, 2024.

2. HAZARDOUS INGREDIENTS

<u>Ingredient</u>	Wt/Wt%	CAS#
Poly (oxy-1,2-ethanediyl)alpha- (nonyl phenyl)-Omega-hydroxy	60-100	9016-45-9
2-methyl-2, 4-pentanediol	30-60	107-41-5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Bland, oily liquid which may irritate the skin and eyes. Bulk material is difficult to ignite, but will burn vigorously if engulfed in fire.

POTENTIAL HEALTH EFFECTS

Skin Contact : Can irritate by removing natural skin oils on long or repeated exposures

Eyes : Irritating

Inhalation : Not significant at room temperatures. When heated or sprayed, vapors may cause dizziness or nausea

Ingestion : Not significant in small(mouthful)quantities

Medical conditions known to be aggravated by exposure to product: None

4. FIRST AID

Skin Contact : Wash off with soap water .Use soothing lotion

Eyes : Rinse carefully under upper and lower eyelids using plenty of water

Inhalation : Remove to fresh air if dizzy or nauseated

Ingestion : Do not induce vomiting. Accidental ingestion of a small mouthful quantity is not expected to cause significant

harm

NOTE: In all severe cases, contact physician immediately.

5. FIRE HAZARD

Conditions of flammability : Can ignite if heated over 93 deg C in presence of ignition sources

Flash point : Min 93 deg C (PMCC)

Flammable limits in air : 1 to 6%

Extinguishing media : Carbon dioxide , Foam

Special fire fighting procedures : Keep containers cool with water spray. ZR-10B is dissolved in water , nearly eliminating its

ability to burn.

Hazardous combustion products : Smoke,soot,oxides or carbon

Unusual fire hazards : None



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist. 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



6. ACCIDENTAL RELEASE MEASURES

Mop up or Sweep up with absorbent (For disposal see Section 13)

7. HANDLING AND STORAGE

Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid breathing spray mist.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Controls : None,unless sprayed. Use where ventilation will carry spray mist away from occupied areas

Personal protection : Wear safety glasses to protect eyes. Wear nitrile rubber gloves if hand exposure is

unavoidable.Respirator with filter if sprayed in enclosed, unventilated space.

9. PHYSICAL PROPERTIES

Min 196 deg C <0.1 mm @ 21 deg C Initial boiling point (bulk) Vapor pressure VOC content 449 g/L Vapor density Heavier than air Density/sp. gravity 0.9 Evaporation rate Negligible 100% Pink, viscous liquid Appearance Water solubility Neutral Odor Mild odour

10. STABILITY AND REACTIVITY

Stability : Stable Incompatibility : None

Hazardous decomposition products : Soot, oxides of carbon if heated to combustion temperatures

Reactivity : None

11. TOXICOLOGICAL INFORMATION

Carcinogenicity : Contains no known or suspected carcinogens listed with OSHA, IARC, NTP or ACGIH

Threshold limit value : 5mg/cubic meter for oily mist

WHMIS information (Canada) : According to available information, the ingredients have not been found to show

reproductive toxicity, Teratogenicity, Mutagenicity, Skin sensitization, or Synergistic toxic

effects with other material.

12. ECOLOGICAL INFORMATION

No data is available on ZR-10B. It dissolves into water and is biodegradable. Its low bulk vapor pressure may exempt it from VOC restrictions.

13. DISPOSAL

All Disposal practices must be in compliance with all local laws and regulations. Waste characterizations and compliance with applicable laws

are the responsibility solely of the waste generator.

14. TRANSPORTATION

U.S. DOT: 49 CFR 172.101 Hazardous Materials Table:

Proper shipping name : None, not restricted

Hazard class or division : None Identification No. : None Packing Group : None



ITW India Private Limited, Plot No.51, 52, 207 & 208, Phase II, IDA, TSIIC, Pashammylaram, Sangareddy Dist.- 502 307, Telangana State, India Telephone: +91 8455 224710, Facsimile: +91 8455 224709, Email: magnafluxinfo@magnafluxindia.com, Website: www.magnaflux.in



15. REGULATORY INFORMATION

TSCA : All ingredients are listed in TSCA inventory.

CERCLA : Not reportable

SARA TITLE III, Section 313 : No reportable ingredients

California Proposition 65: Warning : This material may contain trace amounts of chemicals known to the state of California to

cause cancer and/or birth defects and/or reproductive harm.

NFPA Rating Health 2 Flammability 1 Reactivity 0



16. OTHER INFORMATION

Revision Statement : Updated the address

MSDS/ZR-10B/14 dated 10/2024



Corporate Identity Number (CIN): U32301HR1979PTC038643